

example."

## **▶** Latest Articles

Facebook social plugin

- Multiplex Cellular Imaging Platform for Discovery and Advancement of Novel Drugs for CNS Diseases
- Piezo-Based Robots for Sample Manipulation in Optical and Electron Microscopy: An Interview with Benoît Dagon
- Hysitron's nanoDMA III for High-Throughput Material Screening
- Measuring Local Charging and the Contact Potential Difference (CPD) of Surface Elements Using Kelvin Probe Force Microscopy
- Applications of Nanoparticle Heating by Radio Frequency Magnetic Induction

Other chemicals it could detect include nitric oxide and oxygen, abnormal levels of which can point to conditions such as high blood pressure, anemia or lung disease.

"Each of these diseases has its own biomarkers that the device would be able to sense," said Sherman Fan, a professor of biomedical engineering. "For diabetes, acetone is a marker, for

Fan is developing the sensor with Zhaohui Zhong, an associate professor of electrical and computer engineering, and Girish Kulkarni, a doctoral candidate in electrical engineering. The researchers say their device is faster, smaller and more reliable than its counterparts, which today are much too big to be wearable. The new sensor can also detect a broader array of chemicals.

Beyond disease monitoring, the sensor has other applications. It would be able to register the presence of hazardous chemical leaks in a lab, or elsewhere, or provide data about air quality.

"With our platform technology, we can measure a variety of chemicals at the same time, or modify the device to target specific chemicals. There are limitless possibilities," Zhong said.

To create their technology, the researchers took a unique approach to detecting molecules.

"Nanoelectronic sensors typically depend on detecting charge transfer between the sensor and a molecule in air or in solution," Kulkarni said.

However, these previous techniques typically led to strong bonds between the molecules being detected and the sensor itself. That binding leads to slow detection rates.

"Instead of detecting molecular charge, we use a technique called heterodyne mixing, in which we look at the interaction between the dipoles associated with these molecules and the nanosensor at high frequencies," Girish said.

This technique, made possible through the use of graphene, results in extremely fast response times of tenths of a second, as opposed to the tens or hundreds of seconds typical in existing technology. It also dramatically increases the device's sensitivity. The sensor can detect molecules in sample sizes at a ratio of several parts per billion.

These nanoelectronic graphene vapor sensors can be completely embedded in a microgas chromatography system, which is the gold standard for vapor analysis, the researchers say. The entire microgas chromatography system can be integrated on a single chip with low power operation, and embedded in a badge-sized device that can be worn on the body to provide noninvasive and continuous monitoring of specific health conditions.

"We believe this device can be extremely beneficial to society," Fan said.

Source: http://www.umich.edu/

Read in | English | Español | Français | Deutsch | Português | Italiano | 日本語 | 한국어 | 简体中文 | 繁體中文 | Nederlands | Русский | Svenska ► Tell Us What You Think Do you have a review, update or anything you would like to add to this news story?



Leave your feedback



Submit

## **Latest News**

- 'Smart' Nanoparticles Can Sense Hydraulic Fracking Chemicals
- Bead Probe and Optical Microscopy Manipulate 1-nm Synthetic Molecular Machine
- Nanofabricated Lab-on-a-Chip Technology Integrated with Smartphones Can Help Track Physical Well-Being
- W. M. Keck Foundation Awards \$1M Grant for Development of Ultra-Compact X-ray Free Electron Laser
- Engineered Vault Nanoparticles Could Lead to More Effective Treatments for Cancer and HIV

## Popular News

- NanoViricides Presents FluCide Data at 3rd Annual Influenza Research and Development Conference
- STMicroelectronics Establishes New MEMS Microphone Lab in Taiwan
- Singapore Researchers Discover Quantum Plasmonic Tunneling with FEI Electron Microscope
- OCSial Announces Deal with Korean Company Applied Carbon Nano Technology Co., Ltd.
- Haydale Announce Consulting Agreement with InVentures Group for Accelerated Commercialization of Functionalized Graphene

AZoNano.com provides this information service in accordance with these terms and conditions.

Home Page News Articles Directory Equipment Books Journals Videos Events Courses Experts | Classifieds | About Us | Journals | Videos | Events | Courses | Classifieds | About Us





AZoNano.com - An AZoNetwork Site Owned and Operated by AZoM.com Limited Copyright 2000-2014